

TOPIC/SUBTOPIC	SECTION	TOPIC/SUBTOPIC	SECTION
CBR	25.28.2.4 -6	natural fiber	21.11
Cellular concrete	23.4.4	see FRP	21.8.2
Cellulose acetate butyrate	21.4.2.3	Compressed air power	25.3.6, 25.23.1
Cellulose nitrate	21.4.2.3	Compression molding	21.5.2
Central motor vehicle rules	25.11.1.2, 25.11.5.1	Compression ratio	25.3.2.3
Centrifugal pumps	25.21.5	Compressor, air	25.23.1
cavitation	25.21.5.9	air receiver	25.23.5.5
dry pit sump	25.21.6.2	air tools	25.23.6
fire fighting	25.21.9.5	multi-staging	25.23.5.3
in-line	25.21.7	portable	25.23.5.4
jet	25.21.14	reciprocating	25.23.4.2
monoblock	25.21.8	rotary screw	25.23.5.2
multi-stage	25.21.10	types	25.23.4
operating principle	25.21.5	Concrete	24.8
priming	25.21.5.8	high-performance	24.9.9
self-priming	25.21.9	polymer modified	24.9.4
submersible sewage	25.21.11	ready mixed	25.13.2
submersible tube well	25.21.13	self-compaction	24.9.9.6
vertical column	25.21.6	ultra-high strength	24.9.9.5
vertical turbine	25.21.12	Concrete batching & mixing plant	25.14
Charles' law	25.23.3.3	horizontal	25.14.3
Chemical fasteners	21.9.1.2	mobile	25.14.6
Chemical fasteners	21.9.1.2	vertical plant	25.14.2
Chemical waterproofing system	24.17	Concrete core drill (drill, core)	24.6.6
Chloride penetration	24.4.6	Concrete finishing machine	25.32.2.6
Chocks (stopper)	25.11.4.4	Concrete mixer	See mixer
Chutes	25.11.14.2, 25.16.4	Concrete paver	25.32.3
Clamshell	25.9.3	dowel bar inserter	25.32.3.6
Coeff. of thermal expansion	24.4.2.2	power float	25.32.3.8, 25.19.6.2
Coefficient of friction	25.4.5.3	semi-mechanized	25.32.2
Coefficient of permeability	25.33.1.12	tie bar inserter	25.32.3.6
Coefficient of transmissibility	25.33.1.13	Concrete pump	25.18
Cohesion	24.12.2.6	line pump	25.18.5
Cold joint	24.2.16, 24.11.20	operation	25.18.4.7
Compaction effort	25.10.2.3, 25.10.4	piston pump	25.18.4
Compaction equipment, selection	25.10.11, 25.10.13.4	placer boom	25.18.5, 25.18.6
Compaction equipment, types	25.10.5	pneumatic	25.18.7
Compaction methods	25.10.4	pumpable conc.	25.13.3
Compaction operations	25.10.12	squeeze pressure	25.18.3
Compaction, confined areas	25.10.13	truck mounted	25.18.5
Composites	21.1.7, 21.11	types	25.18.2
al. composite panels	22.14	wet mix shotcrete	25.18.8
fiber system	24.10.6, 24.16.6	Concrete saw	25.32.6
fiberglass reinforced	21.1.7, 21.11	Concrete slip form paver	see concrete paver

A. Appendix. T Table

TOPIC/SUBTOPIC	SECTION	TOPIC/SUBTOPIC	SECTION
Neoprene rubber (chloroprene)	21.10.3.3	bored	25.24.4, 25.24.13
Net positive suctionhead, NPSH	25.21.4.8	classification	25.24.1.4
NM class II cartridge	25.34.8.4	continuous flight auger	25.24.4.4
Nominal maximum aggregate	25.30.3.8	displacement	25.24.3
Nondestructive evaluation	24.2.41, 24.6.1	driven cast-in-situ	25.24.2
carbonation test	24.6.7	driven precast	25.24.3.2
chloride content	24.6.8	end bearing	25.24.1.3
core sampling	24.6.6	equipment	25.24.5
corrosion	24.6.9, 24.6.9-11	Franki	25.24.2.4
fire damage	24.6.12	friction	25.24.1.3
PNR tester	24.6.3.4	load testing	25.24.15
pullout test	24.6.5	Raymond	25.24.2.6
rebound hammer	24.6.2	Simplex	25.24.2.3
UPV test	24.6.4	steel	25.24.3.4
Windsor probe	24.6.3	timber	25.24.3.8
Normal curve	A20.4.2.1	tubular	25.24.3.2
standard	A20.4.2.2, Table A20.	ultimate load capacity	25.24.16
Nylon	21.4.2.5	Piling frames	25.24.1.2, 25.24.6.1
Optimum moisture content	25.10.2.4	Piling hammers	25.24.6.4-9
Otto cycle	25.3.2.2	Pipe jacking	25.7.8..3
Outrigger	25.7.6.2, 25.25.2.3	Pipe ramming	see trenchless
Outrigger	25.18.5.2	Plan-do-check-act cycle	20.3.7.3
Overbreak	25.34.2.3	glazing	21.8.5.1
Overlays	24.15.8, 24.16.4	security glazing	21.8.5.4
Packers	24.14.6.3, 24.14.9.5	Plasticizers	24.11.16
Parallel cut	2.35.2.7	Plastics	21.1.3
Passivating coating agents	24.11.15	advantages	21.3.12
Passivation	24.2.42, 24.4.5.1	doors	21.7
Pavement joints	25.28.4, 25.32.4	extrusions	21.5.4
Payload	25.11.1.1	properties	21.3, A21.2
Peel strength	21.9.2.3, 24.12.2.11	reinforced	21.11
Penetration test	25.30.2.7	thermoplastic	21.2.4, 21.4.2
Percussion drill	25.34.4	thermosetting	21.2.5, 21.4.3
Percussion drilling rig	25.24.12	Plastics fabrication processes	21.5
Periodic Table	A21.1.2.1	compression molding	21.5.2
Permeability	25.33.1.12	extrusions	21.5.4
Permeability	24.2.43, 24.3.2	injection molding	21.5.3
Permeability and durability	24.9.5.7	thermoforming	21.5.5
pH	24.2.44, 24.4.5.1	Plough, trenching	25.7.7.2
Phenol formaldehyde	21.4.3.3	Pneumatic power	25.3.6
Pick-and-carry crane	25.20.8.7	Pneumatic tired roller (static)	25.10.7
Piezometer	25.21.4.3	Pneumatic tools	25.23.6
Pile equipment manufacturers	25.24.5	PNR tester	24.6.3.4
Piles	25.24.1	Poise	25.30.2.5

A. Appendix. T Table

TOPIC/SUBTOPIC	SECTION	TOPIC/SUBTOPIC	SECTION
Putty	24.12.1.4	Rehabilitation	24.2.53
PVC doors	21.7	economics of	24.1.8
hollow profile	21.7.2	specialized nature	24.1.7
solid panel	21.7.3	Relative compaction	25.10.3.3
Quality	20.2.1	Reliability analysis	A20.4.7
audit	20.5.10, 20.3.7.1	Repairs	24.1.6-7, A24.1
basic principles	20.3.1	active	24.1.5.4
construction, of	20.2.1.1	basements	24.26
costing	20.5.9	columns, beams	24.21
criteria in const.	20.2.1.2	dampness of roof slabs	24.23
policy	20.5.3.1, 20.3.6.1	execution guidelines	24.19
training	20.5.7, 20.3.4.1	fire damaged bldg.	24.24
Quality assurance (QA)	20.2.3	floors/pavements	24.25
const. projects	20.4	materials	24.1.5.2, 24.7.1
const. vs manufacturing	20.1.3, 20.4.1.2	passive	24.1.5.4 a
need in const.	20.1.2, 20.1.4	plaster	24.29, 24.15.2
Quality audit	20.5.10	RCC sunshades	24.27
first-party	20.5.10.4	sagging balcony	24.28
second-party	20.5.10.5	seismic strengthening	24.30
third-party	20.5.10.7	specifications	24.1.6.5, A24.1
Quality circles	20.3.4.3	stitching blocks	24.30.4
Quality control (QC)	20.2.2	surface preparation	24.19.4
non-conformities	20.3.8.2	techniques	24.1.5.3, 24.15
statistical techniques	20.3.8.1	water tanks	24.26
Quality Council of India	20.2.6	Repairs, execution of	24.19
Quality mgmt. System (QMS)	20.2.5, 20.1.1	Resins	24.2.55, 21.1.2
dev. of framework	20.5.8	synthetic	21.1.2, 21.11.2.4
model for const.	20.5.1	Retarders	24.11.20
quality policy	20.5.3.1, 20.3.6.1	Reveal tie	25.25.1.6
systems approach	20.3.6	Rheology	24.2.58
top management role	20.2.4.4/3.3/5.1.1	Rigid pavement	25.28.3, 25.28.5
Quality plan	20.3.5.5/5.8.5	Rimpull	25.4.6.4
project	20.5.8.7	Ripper	25.5.4, 25.34.9
Quality policy/objectives	20.3.6.1	Rippers, types	25.34.9.2
Quick setting compounds	24.11.19	Road construction equipment	25.29 to 25.32
Radiography	24.6.15	Roadheader	25.35.5
Radius (cranes)	25.20.1.2	Rock bolting	25.35.4.3
Rammers/ tampers	25.10.13.2	Rock excavation	25.34.2.2
Ready mixed concrete	25.13	Rock grapple	25.7.3.5
definition	25.13.2.1	Rock reinforcement	25.35.4.1-2
plant vs truck-mixed	25.13.2.4	Rock ripping	25.34.9
pumpable	25.13.3	Rod mill	25.12.8
quality control	25.13.4	Rolled compacted concrete	25.32.8
Regression analysis	A20.4.6	Roller	25.10.5

A. Appendix. T Table

TOPIC/SUBTOPIC	SECTION	TOPIC/SUBTOPIC	SECTION
quality control	24.13.9	Specifications, performance	24.1.6.2, 23.4.4.6
wet-mix process	24.13.1.5-6	Specifications, prescriptive	24.1.6.2
Shovel, front	25.7.2	Standard conditions	25.23.2.6
classification	25.7.1.4	Steel scaffolding	25.25.1
Shrinkage reducers	24.11.22	cuplok system	25.25.4.2
Shrinkage, concrete	24.4.1	independent	25.25.2.1
factors, causing	24.4.1.5	putlog	25.25.2.2
plastic	24.2.45	wedgelock sys.	25.25.4.3
Silane	24.11.5	Stemming	25.34.8.6, 25.34.2.3
Silane	24.2.64, 24.9.3	Stitching blocks	24.30.4
Silicafume	24.2.65/4.8/19.9	Stoke	25.30.2.5
Silicone adhesives	21.9.4.11	Stone cutter	25.27.4
Silicone plastics	21.4.3.6	Stone grinder	25.27.5
Silicone sealants	24.12.9, 21.4.3.6	Stopends	23.2.3.6
Silicone sealants	21.9.4.11, 22.15	Stoping	25.35.2.2, 25.35.2.8
Silicone struct. Glazing tech.	22.15, 21.4.3.6	Strain hardening	22.2.4.1
Silicones	21.4.3.6	Strengthening/retrofitting	24.16, 24.1.4, 24.2.57
Simplex pump	25.21.2.1	plate bonding	24.16.5
Siporex 3-S system	23.4.2	RCC jacketing	24.16.3
Siporex autoclaved products	23.4.4.3	seismic	24.16.2, 24.16.6
Skid	25.3.1, Fig.25.152B	structures	24.22, 24.2.57
Skid-steer loader	25.7.5	Structural glazing	22.10.3
fork lift	25.7.5, Fig. 25.17	forms of	22.10.3.3
hydraulic hammer	25.7.5	silicone technology	22.15, 22.10.3.1
Slewing	25.20.1.2	Structure of matter	A21.1
Slipforms	25.26	Stuffing box	25.21.5.5
Sloughing	24.13.1.8	Styrene-butadiene rubber	21.10.3.2
Slugging	24.13.1.8	Sub (drill stem)	25.33.6.7, Fig.25.264A
Smelter	22.1.3.4	Sub-base	25.28.2.4, 25.28.2.7
Softening point test	25.30.2.8	Subgrade	25.28.2.5, 25.28.2.7
Soil compaction	25.10	Sulfate attack	24.4.7
cohesive soils	25.10.10	Supercharger	25.4.6.3
field density	25.10.3.6	Superplasticisers	24.11.24, 24.9.9.1
fundamentals	25.10.2	Surface retarders	24.11.25
guidelines	25.10.12	Survey instruments	A25.1
impact	25.10.4.2	Swivel	25.24.9.3, 25.33.6.9
minimum density	25.10.3.2	Tack-free time	24.12.2.13
modes	25.10.4	Tamping foot roller	25.10.8
selection of equipment	25.10.11	sheepsfoot roller	25.10.8.1
specifications	25.10.3	Tandem ale	25.11.3.3
static	25.10.4.1	Tanker	25.11.1.3, 25.11.13
vibratory	25.10.4.3	TBM (Tunnel boring machine)	25.35.6, 25.35.7
Spandrel panel	22.10.2.4, 22.10.4.4	hardrock	25.35.6
Specific speed	25.21.4.9	soft ground	25.35.7

A. Appendix. T Table